

Contents

ID No.

Raw Sugar Methods

Polarisation with Wet Lead Clarification	GS1-1
Polarisation without Lead Clarification (NIRP)	GS1-2
Reducing Sugars in <i>Cane Raw Sugar</i>	
by the Lane and Eynon Constant Volume Procedure	GS1-3
Glucose and Fructose using HPAEC	GS1-4
Reducing Sugars in <i>Cane Raw Sugar</i> by the Luff Schoorl Procedure	GS1-5
Solution Colour with pH adjustment to pH 7.0	GS1-7
Solution Colour by the MOPS Buffer Method	see GS9-8
Sugar Moisture by Loss on Drying (<0.5%)	see GS2-15
Sulphated Ash by Single Sulphation	GS1-10
Conductivity Ash	GS1-13
Lead by a Colorimetric Method	see GS2-27
Sulphite by the Rosaniline Colorimetric Method	see GS2-33
Total α -Galactosides and Raffinose in <i>Beet Raw Sugar</i>	see GS4-18
Dextran by a Modified Alcohol Haze Method	GS1-15
Starch by the BSES method	GS1-16
Starch by the SPRI Test	GS1-17
Fine Grain by the BSES method	GS1-20
Determination of pH	GS1-23
ERH	see GS2-39

White Sugar Methods

Polarisation	GS2-1
Polarisation of <i>White Sugars requiring Clarification</i> , with Wet Lead Clarification	see GS1-1
Polarisation of <i>White Sugars requiring Clarification</i> , without Lead Clarification	see GS1-2
Glucose+Fructose by the Hexokinase Method	GS2-4
Glucose and Fructose using HPAEC	see GS1-4
Reducing Sugars by the Knight and Allen EDTA Method	GS2-5
Reducing Sugars by the Modified Ofner Titrimetric Method	GS2-6
Sugar Solution Colour by the MOPS Buffer Method	see GS9-8
Sugar Solution Colour by the TEA Buffer Method	GS2-9
Sugar Solution Colour without pH adjustment and Buffer (up to 50 IU)	GS2-10
Visual Appearance using Braunschweig Colour-Types	GS2-11
Reflectance	GS2-13
Sugar Moisture by Loss on Drying	GS2-15
Conductivity Ash	GS2-17
Insoluble Matter	GS2-19
Arsenic by Atomic Absorption Spectroscopy	GS2-23
Lead by a GFAAS Method	GS2-24
Arsenic by a Colorimetric Method	GS2-25
Lead by a Colorimetric Method	GS2-27
Calcium by EDTA Titration	see GS8-9
Copper by a Colorimetric Method	GS2-29
Iron by a Colorimetric Method	GS2-31
Sulphite by the Rosaniline Colorimetric Method	GS2-33
Sulphite by an Enzymatic Method	GS2-35
Formaldehyde by a Colorimetric Method	GS2-36
Total α -Galactosides and Raffinose in <i>Beet White Sugars</i>	see GS4-18
Determination of pH	see GS1-23
Particle Size Distribution	GS2-37
ERH	GS2-39
The ICUMSA 10-Day Acid Beverage Floc Test	GS2-40a
The ICUMSA 24-Hour Acid Beverage Floc Test for <i>Beet White Sugars</i>	GS2-40b
Total Mesophilic Bacterial Count by the Membrane Filtration Method	GS2-41
Sampling of Refined Sugar Products for Microbiological Analyses	GS2-42
Total Mesophilic Bacterial Count by the Pour Plate Method	GS2-43
Slime-forming Bacterial Count	GS2-45
Yeast and Moulds	GS2-47
Thermophilic Spore-Forming Bacteria	GS2-49

Specialty Sugar Methods

Polarisation of the Sugar Component of

<i>Powdered Sugars Containing Anti-Caking Agents</i>	GS3-1
Polarisation by a Raw Sugar Method with Wet Lead Clarification	see GS1-1
Polarisation by a Raw Sugar Method without Wet Lead Clarification	see GS1-2
Polarisation by a White Sugar Method	see GS2-1
Fructose, Glucose and Sucrose by Gas Chromatography (GC)	see GS7-22
Reducing Sugars by the Lane and Eynon Constant Volume Procedure	see GS1-3
Glucose and Fructose using HPAEC	see GS1-4
Reducing Sugars by the Knight and Allen EDTA Method	see GS2-5
Reducing Sugars in <i>Certain Refined Syrups</i> by the Lane and Eynon Constant Volume Procedure	see GS4-3
Total Reducing Sugars after Hydrolysis, in <i>Refined Syrups</i> , by the Lane and Eynon Constant Volume Procedure	see GS4-7
Sugar Solution Colour by the MOPS Buffer Method	see GS9-8
Total Reducing Sugars after Hydrolysis, in <i>Refined Syrups</i> , by the Luff Schoorl Procedure	see GS4-9
Solution Colour without pH adjustment to pH 7.0	see GS1-7
Solution Colour at pH 7.0 by the TEA Buffer Method	see GS2-9
Solution Colour without pH adjustment and Buffer (up to 50 IU)	see GS2-10
Moisture by the Karl Fischer Procedure	see GS4-12
Moisture by Loss on Drying	see GS2-15
Sulphated Ash in <i>Brown Sugars</i>	GS3-11
Conductivity Ash	see GS1-13
Conductivity Ash in <i>Refined Specialty Sugars</i>	see GS2-17
Insoluble Matter	see GS2-19
Anti-Caking Agents in <i>Powdered Sugars</i>	GS3-21
Calcium by EDTA Titration	see GS8-9
Arsenic by Atomic Absorption Spectroscopy	see GS2-23
Lead by a GFAAS Method	see GS2-24
Arsenic in <i>Refined Specialty Sugars</i> by a Colorimetric Method	see GS2-25
Lead by a Colorimetric Method	see GS2-27
Copper in <i>Refined Specialty Sugars</i> by a Colorimetric Method	see GS2-29
Iron in <i>Refined Specialty Sugars</i> by a Colorimetric Method	see GS2-31
Sulphite in <i>Refined Specialty Sugars</i> by an Enzymatic Method	see GS2-35
Total α -Galactosides and Raffinose by an Enzymatic Method	see GS4-18
Determination of pH	see GS1-23
ERH of <i>Crystalline Specialty Sugars</i>	see GS2-39
Total Mesophilic Bacterial Count by the Membrane Filtration Method	see GS2-41
Sampling for Microbiological Analyses	see GS2-42
Total Mesophilic Bacterial Count by the Pour Plate Method	see GS2-43
Slime-forming Bacterial Count	see GS2-45
Yeast and Moulds	see GS2-47
Thermophilic Spore-Forming Bacteria	see GS2-49

Molasses Methods

Apparent Sucrose by a Double Polarisation Method	GS4-1
Sucrose by GC	GS4-2
Glucose and Fructose by an Enzymatic Method	see GS8-4
Fructose, Glucose and Sucrose by Gas Chromatography (GC)	see GS7-22
Sucrose, Glucose and Fructose in <i>Cane Molasses</i> by HPLC	see GS7-23
Sucrose in <i>Beet Molasses</i> by HPLC	see GS7-23
Glucose, Fructose and Sucrose in <i>Cane Molasses</i> by HPIC	see GS7-24
Sucrose in <i>Beet Molasses</i> by HPIC	see GS7-24
Reducing Sugars in <i>Cane Molasses</i> by the Lane & Eynon Constant Volume Procedure	GS4-3
Reducing Sugars in <i>Beet Molasses</i> by the Lane & Eynon Constant Volume Procedure	GS4-5
Total Reducing Sugars after Hydrolysis by the Lane & Eynon Constant Volume Procedure	GS4-7
Total Reducing Sugars after Hydrolysis by the Luff Schoorl Procedure	GS4-9

Dry Substance and Moisture by Vacuum Oven Drying on Sand	GS4-11
Moisture by the Karl Fischer Procedure	GS4-12
Refractometric Dry Substance (RDS %)	GS4-13
Apparent Dry Substance (°Brix) using a Hydrometer	GS4-15
Sulphated Ash	see GS3-11
Conductivity Ash	see GS1-13
Calcium by EDTA Titration	see GS8-9
Chloride by a Potentiometric Method	see GS8-11
Lactic Acid by an Enzymatic Method	see GS8-13
Acetic Acid by an Enzymatic Method	see GS8-14
Raffinose and Kestoses by a TLC Method	see GS8-15
Total α-Galactosides and Raffinose by an Enzymatic Method	GS4-18
Raffinose in <i>Beet Molasses</i> by HPAEC	GS4-19
Betaine in <i>Beet Molasses</i> by a HPLC Method	GS4-21
Sucrose and Betaine in <i>Beet Molasses</i> by HPLC	GS4-22
Determination of pH	see GS1-23

Cane Methods

Pol (Polarisation), Brix and Fibre by the Wet Disintegrator Method	GS5-1
Sucrose by Gas Chromatography (GC)	see GS4-2
Fructose, Glucose and Sucrose by Gas Chromatography (GC)	see GS7-22
Sampling by the Full Width Hatch Sampler	GS5-5
Sampling by the Corer Method	GS5-7

Beet Methods

Polarisation by the Cold Aqueous Digestion Method using Lead Acetate as Clarifying Agent	GS6-1
Polarisation by the Cold Aqueous Digestion Method using Aluminium Sulphate as Clarifying Agent	GS6-3
Glucose and Fructose by an Enzymatic Method	see GS8-4
Lactic Acid by an Enzymatic Method	see GS8-13
Acetic Acid by an Enzymatic Method	see GS8-14

Cane Sugar Processing Methods

Milling train analyses:

Pol, Brix and Fibre in <i>Cane</i> and <i>Bagasse</i> by the Wet Disintegrator Method	see GS5-1
Preparation Index of <i>Cane</i>	GS7-3
Moisture in <i>Cane</i> and <i>Bagasse</i>	GS7-5
Juice and filter products:	
Pol (Polarisation) of <i>Filter Cake</i>	GS7-7
Moisture in <i>Filter Cake</i>	GS7-9
Mud Solids in <i>Juice</i> , <i>Mud</i> and <i>Filter Cake</i>	GS7-11
Moisture in <i>Syrups</i> by the Karl Fischer Procedure	see GS4-12
Cane Fibre in <i>Juice</i> , <i>Mud</i> and <i>Filter Cake</i>	GS7-13
Total and Soluble Phosphate in <i>Cane Juice</i>	GS7-15
Calcium and Magnesium in <i>Cane Juice</i> and <i>Syrup</i> by EDTA Titration	GS7-19
Iron by a Colorimetric Method	see GS2-31
Chloride by a Potentiometric Method	see GS8-11
Turbidity in Clarified <i>Cane Juice</i>	GS7-21
Determination of pH	see GS1-23
Sulphite in <i>Cane Juice</i> and <i>Syrup</i> by the Rosaniline Colorimetric Method	see GS2-33

Pan stage products:

Sucrose by Gas Chromatography (GC)	see GS4-2
Apparent Sucrose by a Double Polarisation Method	see GS4-1
Fructose, Glucose and Sucrose in <i>Cane Juice</i> and <i>Syrups</i> by Gas Chromatography (GC)	GS7-22
Sucrose, Glucose and Fructose in <i>Cane Molasses</i> by HPLC	GS7-23
Glucose, Fructose and Sucrose in <i>Cane Juices</i> and <i>Syrups</i>	GS7-24
Reducing Sugars by the Lane and Eynon Constant Volume Procedure	see GS1-3
Dry Substance and Moisture by Vacuum Oven Drying on Sand	see GS4-11
Sulphated Ash in <i>Juice</i> and <i>Pan Products</i>	see GS3-11
Conductivity Ash in <i>Juice</i> and <i>Pan Products</i>	see GS1-13

Miscellaneous:

Calcium Oxide in <i>Lime</i>	GS7-25
Sucrose-soluble Alkali in <i>Quicklime</i>	GS7-27

Beet Sugar Processing Methods

Sucrose by Gas Chromatography (GC)	see GS4-2
Sucrose in <i>Beet Molasses</i> by HPLC	see GS7-23
Sucrose in <i>Beet Molasses</i> by HPIC	see GS7-24
Glucose and Fructose in <i>Processing Products</i> by an Enzymatic Method	see GS8-4
Apparent Total Sugar Content of <i>Beet Pulp</i> by the Luff Schoorl Procedure	GS8-5
<i>Beet Pulp</i> Moisture and Dry Substance Analysis	GS8-6
Ash in <i>Beet Pulp</i> : Crude Ash and Sulphated Ash	GS8-7
Insoluble Ash in <i>Beet Pulp</i>	GS8-8
Sulphated Ash	see GS3-11
Conductivity Ash	see GS1-13
Calcium by EDTA Titration	GS8-9
Iron by a Colorimetric Method	see GS2-31
Chloride by a Potentiometric Method	GS8-11
Lactic Acid (L- and D-) by an Enzymatic Method	GS8-13
Acetic Acid in <i>Beet Juices</i> and Processing Products by an Enzymatic Method	GS8-14
Raffinose and Kestoses by a TLC Method	GS8-15
Total α -Galactosides and Raffinose by an Enzymatic Method	see GS4-18
Raffinose in <i>Beet Molasses</i> by HPAEC	see GS4-19
Betaine in <i>Beet Molasses</i> by an HPLC Method	see GS4-21
Dextran, Levan and Arabin by a TLC Method	GS8-21
Pectic Acid in <i>Beet Raw Juice</i> by a 3-Hydroxy-Diphenyl Colorimetric Method	GS8-23
Pectic Acid in <i>Beet Juices</i> by a Carbazole Colorimetric Method	GS8-25
Determination of pH	see GS1-23

Plantation White Sugars

Sugar Solution Colour by the MOPS Buffer Method	GS9-8
---	-------